




PCInet



PRODUCT CATALOG

AGRO CATALOG



01 Insemination 5

02 Laboratory 11

03 Transport and storage 15

04 Injection 19

05 Sewing 27

06 Sorting panels and coaxers 29

07 Care 33

08 Equipment 47

09 Chemicals and mats 53

10 Marking 61



How to order products?



BY PHONE
+48 61 657 67 34, +48 61 657 67 21



BY FAX
+48 61 657 67 67



E-MAIL
weterynaria@polnet.pl



ONLINE SHOP
www.polnet-wet.pl



MESSAGE ON THE PORTAL
FACEBOOK

POLnet weterynaria



LETTERS
Polnet Sp. z o.o. i Wspólnicy Spółka Komandytowa
ul. Sowia 13 B, 62-080 Tarnowo Podgórne



In veterinary wholesalers
throughout the country

ATTENTION!
The photos in the offer may slightly differ from the original. This publication is informative and does not constitute an offer within the meaning of the Civil Code.

All rights reserved. copying or reproduction without the consent of the author is prohibited. POLNET is not responsible for any changes or errors in the publication.



- | FEEDING SYSTEMS
- | WATERING SYSTEMS
- | VENTILATION AND HEATING
- | MAINTENANCE

POLNET Sp. z o.o. i Wspólnicy Spółka Komandytowa
ul. Sowia 13 B, 62-080 Tarnowo Podgórne, Polska
tel.: + 48 61 657 67 00, fax: + 48 61 657 67 67
office@polnet.pl
www.polnet.pl



Insemination

Semen bottle

Bottle with a cap.
Available cap colours: red, blue, green,
yellow and white.

Cat. No. **-12**

Semen tube

Capacity: up to 100 ml. Easy opening system.
Available in white color.

Cat. No. **5032**

Sachet

Similarly as in the case of the bottle/tube, this sachet is used
as a semen container.

Cat. No. **pk101**

Insemination catheter with a closing cap for sows

It has a closing cap. Individually packed.

Cat. No. **5039**

Insemination catheter for gilts

It has a closing cap.
Individually packed.

Cat. No. **5050**

Catheter without a cork for sows

Without a closing cap.
Individually packed.

Cat. No. **5038**



Catheter connector

For easy connection of the catheter with the
bottle or tube.

Cat. No. **340219**



Catheter for sows Spiral-shaped with a closing cap

It has a special flange which
prevents the semen
from moving back.
Individually packed.

Cat. No. **5050_2**



Catheter for deep insemination blue

Double-holed.
Individually packed.

Cat. No. **5039-4**



BTS extender

This product allows to dilute the semen and maintain
its viability for up to 3 days.

Cat. No.	Name
BTS50	BTS semen extender, 50 g
BTS250	BTS semen extender, 250 g



KRONOS extender

This product allows to dilute the semen and maintain
its viability for up to 6 days.

Cat. No.	Name
KRO50	KRONOS semen extender, 50 g
KRO250	KRONOS semen extender, 250 g



Thermos bag

20 x 40mm.
100 pcs in a package.

Cat. No. **291987**



Bag for semen pouring

With a "spout". 100 pcs in a package. Capacity: 5 l.

Cat. No. **291990**



Thermos filters

Diameter: 24 cm
200 pcs in a package.

Cat. No. **2258**



Bags with filters for the semen thermos

Each bags has a printed scale. 100 pcs in a package.
Scale of up to 2 l.

Cat. No. **291988**



Thermos for collecting semen

This thermos is used for collecting semen.
It is padded with a 20cm x 20cm bag and a filter/drain.

Cat. No. **340168**



Disposable examination gloves LARGE

| soft and strong for multipurpose veterinary use;
| made from polyethylene +EVA;
| weight 7g/pc;
| length 90 cm;
| dispenser box of 100 pcs.;
| color green.

Cat. No. **260685S**



Disposable examination gloves Large Protector

| designed with neck strap for secure fastening;
| soft and strong for multipurpose veterinary use;
| made from polyethylene + EVA;
| weight 10.5g/pc;
| length 115 cm;
| dispenser box of 50 pcs.;
| color green.

Cat. No. **260724S**



Disposable examination gloves LARGE

| an economical version of a long and durable glove;
| made from polyethylene + EVA;
| weight 6g/pc;
| length 90 cm;
| dispenser box of 100 pcs;
| color red.

Cat. No. **260690**



Lubricant gel

Gel for hands and veterinary instruments
Capacity: 1000 ml.

Cat. No. **180545P**



Sterile gel

Facilitates insemination. Capacity: 250 ml.
Cat. No. **340625**

Sterile gel 1 l

Facilitates insemination. Capacity: 1 l.
Cat. No. **4504325**

Dummy Sow

Made of a durable PCV material, which makes it easier to keep the model clean and disinfected. Two feet with an adjustable height and angle. The base is made of a thick metal plate, which allows to permanently fix the model. Two supports for the legs of the boar which facilitate the semen extraction. Both the base and the feet are made of galvanized steel. The solid structure of the equipment allows for a long-term use.

Cat. No. **PNET-01-01-000252**

Insemination holder

The insemination bellyband perfectly stimulates the sow before mating.

Cat. No. **POPREG**

Blood collection system: KABEVETTE


Syringe/ test-tube, 7.5 ml.

Cat. No.	Name
100601	With the label and a double code
100708	With a paper label
100701	Without the label

Disposable needle

Single-use needles for the veterinary, packed 100 pcs

Cat. No.	Name
IG10	Disposable needle POLnet 2.0 x 100mm 14Gx4", 100 pcs
IG11	Disposable needle POLnet 2.0 x 120mm 14Gx4-3/4", 100 pcs
IG12	Disposable needle POLnet 1.5 x 100mm 17Gx4", 100 pcs
IG13	Disposable needle POLnet 1.2 x 60mm 18Gx2-1/2", 100 pcs
IG8	Disposable needle POLnet 1.2 x 75mm 18Gx3", 100 pcs
IG9	Disposable needle POLnet 1.2 x 100mm 18Gx4", 100 pcs



Laboratory

Digital photometer

Instrument for the determination of sperm concentration, allows to determine the number of spermatozoa in each ejaculate and calculate the doses to produce. SperMed is a portable photometer with microprocessor with advanced optical system based on LED with narrow band interference filter that allows most accurate and repeatable readings. It does not require a conversion coefficient of the value obtained. The instrument is protected against splashing water and the optical system is protected from dust and dirt by a transparent cup. Equipped with a locking mechanism that allows to place the cuvet in the same position

Cat. No. **C60699**



Beaker

Cat. No.	Name
999381	Glass beaker, cap. 1 l
999382	Glass beaker, cap. 2 l
999383	Glass beaker, cap. 3 l
999385	Glass beaker, cap. 4 l
KAM1L	Plastic beaker, cap. 1 l
KAM2L	Plastic beaker, cap. 2 l
KAM3L	Plastic beaker, cap. 3 l



Glass pipettes


Glass pipettes are available in the following sizes: 1ml, 2ml, 5ml, 10ml, 25ml. Perfectly suited for repeatable measurements of the analysed substance.

Cat. No. **2242**

Pipette endings

Blue, yellow.
The measurement accuracy is: 1 to 200 µl.
250 pcs in a package.

Cat. No. **8500**



Base glasses

Non-polished. 76 x 26mm. 50 pcs in a package.


Cat. No. **-290270**



Cover slips

100 pcs in a package.

Cat. No.	Name
290280	Cover slips 18 x 18 mm
290282	Cover slips 22 x 22 mm
290284	Cover slips 20 x 20 mm
290284A	Cover slips 24 x 24 mm



Microscope Delta Optical Generic Pro Bino

Cat. No. DO-3402



- | Dioptre adjustment: +/- 5D in the left tube
- | Correction: 160 mm
- | Lighting source: LED
- | Pupil spacing: 48-75 mm
- | Lenses:
 - 4x
 - 10x
 - 40x
 - 100x
- | Focus adjustment: micro / macro
- | Lighting: passing
- | Microscope table: 142 x 132 mm.
- | Head: binocular
- | Lens Revolver: a four-movement sliding mechanism
- | The movement of the preparation:
 - for two preparations
 - range of movement 75x40 mm
 - with vernier

Microscope Delta Optical Generic Pro Trino

Cat. No. DO-3406



- | Dials for adjusting the sharpness:
 - double-sided
 - coaxial
- | Condenser: Abbe N.A. 1.2
- | Guidance technique: Bright field optics class: achromatic
- | Expandable:
 - dark pole
 - phase contrast
 - polarization
- | Microscope magnification:
 - 40 x
 - 100 x
 - 400 x
 - 1000 x
- | Magnification of the eyepiece: 10 x Field of view of the glasses: 18 mm
- | Lighting power: 3 W Power supply for the microscope: AC
- | Elementary plot of micro movement: 4 μ m

Transport
and storage

Refrigerators for semen storage

Our refrigerators for storing semen are equipped with the state of the art processors which react to the changes of temperature with an accuracy of 0.1 degree.

They are manufactured in EU from high-quality materials.

MODEL IA-310



MODEL IA-314



MODEL IA-315



Thermoboxes for semen transportation

The thermoboxes for semen transportation are equipped with the state of the art processor for accurate temperature control. Please keep in mind that the thermoboxes cannot be used to store semen in the farm environment and should not operate for more than 8 hours. After this time the device must be shut down to cool down the system.

MODEL IA-324A
MODEL IA-322A
MODEL IA-320



Cat. No.	Capacity [l]	EXTERNAL DIMENSIONS			INTERNAL DIMENSIONS			Power cons. [W]
		H [cm]	W [cm]	L [cm]	H [cm]	W [cm]	L [cm]	
IA-310	70	56	52,5	58,5	42,5	46,5	34	144
IA-314	140	84,5	49,5	59	73	43,5	50	186
IA-315	360	189	77,7	69,5	166	65,5	58	280

Cat. No.	Capacity [l]	EXTERNAL DIMENSIONS			INTERNAL DIMENSIONS		
		H [cm]	W [cm]	L [cm]	H [cm]	W [cm]	L [cm]
IA-324A	14	328	303	450	260	201	300
IA-322A	21	420	303	450	352	198	288
IA-320	35	460	376	550	350	365	340

Water baths – stainless steel



Cat. No.	Capacity [l]	EXTERNAL DIMENSIONS			INTERNAL DIMENSIONS			Power cons. [W]
		H [cm]	W [cm]	L [cm]	H [cm]	W [cm]	L [cm]	
IA - 214/214D	20	240	530	330	150	510	300	1600

Water baths – plastic material

- | Capacity: 12 litres, stainless steel tray.
- | The electronic thermostat allows to heat-up the water to the temperature of up to 37°C.

Cat. No. **IA-202D**



Injection

HSW ECO-MATIC® tubing version

- | Premium-quality plastic syringe with durable plastic barrel
- | Durable metal needle fitting
- | Accurate, continuously variable dose setting
- | Ergonomic, compact design for ease of use

Cat. No. **113111** – 1 ml, tubing version
 Cat. No. **113112** – 2 ml, tubing version
 Cat. No. **113124** – 5 ml, tubing version



HSW ECO-MATIC® with Bottle Mount Basket

- | Premium-quality plastic syringe with durable plastic barrel
- | Durable metal needle fitting
- | Accurate, continuously variable dose setting
- | Ergonomic, compact design for ease of use
- | Durable plastic basket in two sizes, ensuring
 - secure attachment of medication bottle
 - bottle protected against shock or impact
 - medication bottles can be changed quickly and easily (50 ml to 250 ml)

Cat. No. **113119** – 1 ml, with bottle mount basket
 Cat. No. **113121** – 0.3 ml, with bottle mount basket
 Cat. No. **113122** – 2 ml, with bottle mount basket
 Cat. No. **113125** – 5 ml, with bottle mount basket
 Cat. No. **113127** – 0.5 ml, with bottle mount basket



Prima Tech syringe

The Prima Bottle Mount Vaccinator is a durable, impact-resistant syringe that provides a quick bottle changing system for efficient application of all animal health injectables. The self-contained, one-handed unit is ideal for full mobility and automatic refilling of syringes without the injectable returning to the bottle.

Cat. No.	Name
344762	Prima Tech syringe, with a bottle handle, cap. 2 ml
343413	Prima Tech syringe, with a bottle handle, cap. 5 ml



Prima Tech syringe

The Prima Vaccinators rugged construction combined with advanced engineering creates a comfortable and effective tool. The syringe has an ergonomically designed handle to better fit the contour of your hand. The large dosage adjuster on the adjustable syringes makes changing dosages effortless. Value Line Vaccinators are packaged with a metal luer lock nut and medical grade tubing.

Cat. No.	Name
350398	Prima Tech syringe, with a hose and a basket, cap. 2 ml
350381	Prima Tech syringe, with a hose and a basket, cap. 5 ml



Extensions to syringes

- For a comfortable injection
- | For all syringes with luer lock cap
- | Allows longer distance to the animal, enhanced user safety
- | Durable but flexible design
- | Safe and stable needle connection
- | Length 29 cm

Cat. No. **113113**



Socorex Automatic syringe

Made out of top-quality materials. Great dosing accuracy and working comfort. Structure elements made of stainless steel. Luer lock. Bottle applicator included. Variants with a hose, and double syringes are also available.

Cat. No.	Name
110674	Socorex automatic syringe, 0.5 ml
110675	Socorex automatic syringe, 1 ml
110679	Socorex automatic syringe, 2 ml
110680	Socorex automatic syringe, 5 ml
110682	Socorex automatic syringe, 10 ml



Hose set for the Socorex syringe

The purpose of this set is to modify the drawing system of the syringe. In case of bottles with a capacity higher than 100 ml, simply puncture the bottle with the needle, and draw the medicine via the hose.

Cat. No. **110670**



Repair kit for Socorex 0.5 ml, 1 ml, 2 ml, 5 ml

The set contains:
2 balls, 2 springs and some seals.

Cat. No.	Name
110671	Repair kit for Socorex, 0.5 ml
110676	Repair kit for Socorex, 1 ml
110684	Repair kit for Socorex, 2 ml
110685	Repair kit for Socorex, 5 ml



Cylinder for the Socorex syringe

A glass cylinder with a scale for syringes.

Cat. No.	Name
110672	Cylinder for the Socorex syringe, 0.5 ml
110677	Cylinder for the Socorex syringe, 1 ml
110678	Cylinder for the Socorex syringe, 2 ml
110681	Cylinder for the Socorex syringe, 5 ml
110683	Cylinder for the Socorex syringe, 10 ml



For other spare parts please ask the sales representative of the POLnet company.

HSW roux-revolver

- | Metal/glass version
- | Tensile piston
- | Whole syringe can be dismantled
- | Easy dosing adjustment by dosing wheel
- | High quality for long service life
- | A design which has been proven for decades

Cat. No.	Name
112635	Roux syringe, cap. 30 ml
112655	Roux syringe, cap. 50 ml



Glass insert for the Roux syringe

Capacity: 30 ml or 50 ml.

Cat. No.	Name
112740	Glass insert for the Roux syringe, 50 ml
112745	Glass insert for the Roux syringe, 30 ml



Plastic syringe

A syringe made of a durable material. It can be used for several injections of the same medicine load.

Cat. No.	Name
112309	Plastic syringe, cap. 5 ml
112280	Plastic syringe, cap. 10 ml
112285	Plastic syringe, cap. 20 ml
112295	Plastic syringe, cap. 30 ml
112290	Plastic syringe, cap. 50 ml



POLnet disposable syringe 3 components

- three-component syringe: corpus, rubber seal, piston;
- disposable;
- made of top quality materials;
- clear scale.

Cat. No.	Name
112341P_23	Polnet disposable syringe 3 components 2 ml (100 pcs / package)
112342P_23	Polnet disposable syringe 3 components 5 ml (100 pcs / package)
112343P_23	Polnet disposable syringe 3 components 10 ml (100 pcs / package)
112344P_23	Polnet disposable syringe 3 components 20 ml (50 pcs / package)
112350P_23	Polnet disposable syringe 3 components 22 ml withoht needle (100 pcs / package)



B. BRAUN disposable syringe 2 components

- two-component syringe: corpus, piston;
- disposable;
- made of top quality materials;
- box contains 100 pcs.

Cat. No.	Name
112341M	2 ml syringe, 100 pcs package
112342M	5 ml syringe, 100 pcs package
112343M	10 ml syringe, 100 pcs package
112344M	20 ml syringe, 100 pcs package



Disposable needle

- Ultra-sharp point ensuring only a minimum resistance of the skin tissue and skin muscles during the puncture;
- The silicon layer on the needle minimizes the tissue resistance during the puncture;
- Ultra-thin wall of the needle allows for unproblematic injection of fluids of high viscosity;
- 100 pcs in a package.

Cat. No.	Name
121250P	Disp. needle 0,45 x 16 mm pack/100 pcs
121112P	Disp. needle 0,5 x 25 mm pack/100 pcs
121253P	Disp. needle 0,6 x 25 mm pack/100 pcs
121255P	Disp. needle 0,7 x 40 mm pack/100 pcs
121254P	Disp. needle 0,7 x 30 mm pack/100 pcs
121256P	Disp. needle 0,8 x 25 mm pack/100 pcs
121258P	Disp. needle 0,8 x 40 mm pack/100 pcs
121141P	Disp. needle 0,9 x 13 mm pack/100 pcs
121142P	Disp. needle 0,9 x 25 mm pack/100 pcs
121143P	Disp. needle 0,9 x 40 mm pack/100 pcs
121281P	Disp. needle 1,1 x 16 mm pack/100 pcs
121260P	Disp. needle 1,1 x 25 mm pack/100 pcs
121262P	Disp. needle 1,1 x 40 mm pack/100 pcs
121264P	Disp. needle 1,2 x 40 mm pack/100 pcs
121266P	Disp. needle 1,6 x 25 mm pack/100 pcs
121268P	Disp. needle 1,6 x 40 mm pack/100 pcs
121269P	Disp. needle 1,8 x 40 mm pack/100 pcs
121350P	Disp. needle 2,1 x 40 mm pack/100 pcs
121263P	Disp. needle 1,25 x 25 mm pack/100 pcs



Vet Needle

- Reusable veterinary needles
- Packaging: 12 items per case, 144 per box

Cat. No.	diameter [mm] x length [mm]	
120607H	0,80 x 10 mm	20Gx3/8"
120602H	0,90 x 15 mm	20Gx5/8"
120603H	1,00 x 10 mm	19Gx3/8"
120613H	1,00 x 15 mm	19Gx5/8"
120614H	1,00 x 20 mm	19Gx3/4"
120615H	1,00 x 25 mm	19Gx1"
120722H	1,20 x 15 mm	18Gx 5/8"
120624H	1,20 x 20 mm	18Gx 3/4"
120723H	1,20 x 25 mm	18Gx 1"
120721H	1,20 x 30 mm	18Gx1 1/4"
120622H	1,20 x 40 mm	18Gx1 1/2"
120735H	1,40 x 20 mm	17Gx 3/4"
120728H	1,40 x 25 mm	17Gx 1"
120729H	1,40 x 35 mm	17Gx1 3/8"
120743H	1,60 x 15 mm	16Gx 5/8"
120744H	1,60 x 25 mm	16Gx 1"
120742H	1,60 x 30 mm	16Gx1 1/4"
120745H	1,60 x 40 mm	16Gx1 1/2"
120752H	1,80 x 25 mm	15Gx 1"
120753H	1,80 x 40 mm	15Gx1 1/2"
120755H	2,00 x 15 mm	14Gx 5/8"
120759H	2,00 x 20 mm	14Gx 3/4"
120763H	2,00 x 30 mm	14Gx1 1/4"
120824H	2,00 x 40 mm	14Gx1 1/2"
120826H	2,00 x 50 mm	14Gx1 3/8"




Sewing

Sewing needles, 1/2 circle

Available in sizes: 1-15 and 000, 00, 0. Made of topquality steel, sharp and durable.

Cat. No. **20710** – sharp-end needles

Cat. No. **20715** – rounded-end needles




Bent needle, 3/8 circle

Available in sizes: 1-15 and 000, 00, 0.

Cat. No. **20700** – sharp-end needles

Cat. No. **20705** – rounded-end needles



Surgical thread made of natural silk

Cat. No.	Thickness	Roll [m]
010-698	2	50
010-790	3	50
010-891	4	50
010-993	5	50



Standard needle holder

14 cm, standard.

Cat. No. **151721S**

17 cm, standard.

Cat. No. **151724S**



Mathieu Premium needle holder

| Made of stainless steel.

| Guarantee of quality and durability.

| Tungsten endings.

Cat. No.	Opis	Length
151721P	MATHIEU needle holder	17 cm
151756P	MATHIEU needle holder	20 cm



Sorting panels
and coaxers

Sorting panel

Perfect for works in a pigsty. Made of lightweight plastic. Easy cleaning and disinfection. Red colour causes the animals to react more quickly. A single person can simultaneously use a sorting panel and a coaxer. Easy to carry thanks to its ergonomic handles.


Cat. No.	Name
210006	Sorting panel, 46 x 77 cm
210007	Sorting panel, 96 x 77 cm
210008	Sorting panel, 121 x 77 cm



Separating plate

An elastic plate for driving away, sorting and separation of pigs of all ages. Made of unbreakable and highly wearresistant plastic. Light. Does not adversely affect the welfare of animals.


Cat. No.	Name
Septor 1	Separating plate / 2000 x 650 x 3
Septor 2	Separating plate / 2000 x 750 x 3
Septor 3	Separating plate / 2000 x 850 x 3



Paddle pusher

The part which comes into contact with the animal is made of plastic. The filling made of foamed polystyrene generates noise which agitates the pigs. It does not leave any traces on the meat.

Cat. No.	Name
210011P	Paddle pusher PREMIUM, 115 cm POLnet - red
210014P	Paddle pusher PREMIUM, 115 cm POLnet - yellow
210015P	Paddle pusher PREMIUM, 115 cm POLnet - blue



HAUPTNER electric-shock coaxer

Strong, easy to use. Powered by 2x 1.5 V batteries (mignon). The housing is made of plastic with an improved durability.


Cat. No. **6095000**



Picador electric-shock coaxer

Electric-shock coaxer. Works fine in damp conditions. Can be mounted on a plastic extension with a length of 750 mm (210021). Powered by 2x 1.5 V batteries.

Cat. No.	Name
210020	PICADOR electric-shock coaxer
210021	ext. for the PICADOR electric-shock coaxer, L: 75 cm



Robset electric-shock coaxer


Solid plastic structure. Power: 3x R14. Works perfectly fine in damp conditions.

Cat. No.	Name
Z13400	Robset electric-shock prod. length 70 cm
Z13210	Robset electric-shock prod. length 90 cm



Magic Shot 2000 electric-shock coaxer

Cat. No. **01-2716**



Electric-shock prod on rechargeable batteries Magic Shot 2500

Red.

Cat. No. **01-2718**



Extension for the Hauptner electricshock prod


Cat. No. **06096000**



Slapping pusher


Made of plastic. When used properly, it generates loud noise upon light impact. Length: 45 cm.

Cat. No. **S9000**

**Short taming device with a hook**


Length – 25 cm.

Cat. No. **POSKROM**

**Pig holder with handle (Hog catcher)**

It is very solid model. The holder has a rubber handle. Made from stainless steel.

Cat. No. **210346**

**Holding loop with rubber caps and brake**

Cat. No. **210348**

**Care**

Carcass wagon

- | Rugged construction of galvanized steel
- | Equipped with wheels, they facilitate the transport of carrion
- | The size of the trolley allowing passage inside the building between pens as well as outside buildings - for example for transport
- | The manual winch helps to put the dead device on the trolley and leave the farmer's effort

1. Cat. No. **G.A.I-01129.00.00.000.A**
for sows up to 300 kg

2. Cat. No. **ROLPOL.WÓZEK**
for finishers up to 120 kg



Treatment trolley, model complete

This trolley facilitates all tasks related to piglet care.


Cat. No. **PNET-02-02-000001R01**



Electric tail cutter with transformer

- | This electric instrument is used for docking the tails of newborn piglets and lambs.
- | Tail docker will be delivered excluding V-knife
- | Electric tail cutter with transformer, ready to go work in the time below, adapted to further work, operating temperature approx. 750 ° C

Cat. No. **02-0106**



Electric tail clipper and a blade for the electric tail clipper

- This electric instrument is used for docking the tails of newborn piglets and lambs.
- Tail docker will be delivered excluding knife
- | Compact
 - | Constant high temperature
 - | Wound cauterises immediately
 - | Less chance of infections
 - | Automatic heat control
 - | Minimal stress for the animals

Cat. No.	Name
903308	Electric tail clipper
0903314	Blade for the electric tail clipper



Tail-cutting device

Gas model. For quick and painless tail removal in piglets. After cutting off the tail, the wound gets automatically cauterised, so the infection risk is reduced to minimum. Highly cost-effective - one full gas canister allows to cut off 120 piglet tails. The complete set consists of one tail-cutting device, a spare knife and liquid gas canister (200 ml).

Cat. No. **210095**



Gas for the tail-cutting device

Capacity: 300 ml.

Cat. No. **0904857**

Replaceable blade for the gas tail-cutting

Cat. No. **210100**

Replaceable insert for the gas tail-cutting device

Cat. No. **210102**

Scalpel holder No. 4

Suitable for the following blade-types:
No. 22, 23, 24.

Cat. No. **141110P**

Scalpel blades

Suitable for the Scalpel holder No. 4.
100 pcs in a package.

Cat. No.	Name
141114	Scalpel blades no. 10
141115	Scalpel blades no. 11
141116A	Scalpel blades no. 12
141117	Scalpel blades no. 15
141119	Scalpel blades no. 21
141120	Scalpel blades no. 20
141128	Scalpel blades no. 9
141132A	Scalpel blades no. 22
141141A	Ostrza skalpela no. 23
141182A	Ostrza skalpela no. 24



Umbilical staples

Cat. No. **142131**

Piglet castration stand

To be mounted on a wall 7 in the birth pen.
Hygienic and easy-to-clean.

Cat. No. **1578-040202**

Emasculator

Forceps for the castration of piglets, made of stainless steel.
The specially designed cutting blade crushes blood vessels and vas deferens.

Cat. No. **200050P**

Spare Supports For piglet castration stand

Cat. No. **3409856**



Piglet castration tongs

Length: 23 cm, made of stainless steel. It significantly hastens the castration of large herds. Convenient and easy to use. Scalpel blade included.

Cat. No. **240574**



Blue spray

Anty-infection spray.
Capacity 400 ml.

Cat. No. **303001FA-WET**



Boot cleaner

It helps to eliminate dirt, dust, soil, manure, leaves and snow from the working environment.
Possibility to add disinfectants to the water line to prevent the spread of disease.

Cat. No. **PNET-01-75-000015R01_WET**



Rondo zoometric tape measure

For measuring the weight of the slaughtered animals.
By pressing the button, the measure will fold back inside the plastic housing.

Cat. No. **240589**



Diamond grinding stone

Diamond head for the teeth grinder for piglets.

Cat. No. **240562**



Aluminium cover for the grinding stone

Cat. No. **240571**



Teeth grinder for piglets 220 V

Thanks to the covered diamond head, the grinder works quickly and effectively, without any harm to the gums.
The weight of the device does not exceed 800 g.

Cat. No. **240563**



Teeth-cutting tongs for piglets

Length – 15 cm.

Cat. No. **240570 P**

Length – 13 cm.

Cat. No. **240566 P**



Manual spray antichew

500 ml

Cat. No. **303002_INSERTBO**



Anti-Bite spray 400ml "Zero Bite"

Prevents the animals from biting off each others tails.

Cat. No. **303002_wet**



Boar Spray

Boar spray is used for providing standing oestrus during insemination of sows and gilts. CO₂ is used as propellant.

Cat. No.	Name
241124	Boar spray PORCIVET 250 ml (210g)
241129	Boar spray PORCIVET 110 ml (80g)



POLnet heater, white

Power 175 W. Thick glass. Thanks to the standard thread of the light bulb, it can be mounted either in the dedicated radiator fittings (thus extending their service life) or in the standard fittings. Warranty: 1 year.

Cat. No. **POL-PAR175WBIAŁY**



POLnet heater, red

Power 175 W. Thick glass. Thanks to the standard thread of the light bulb, it can be mounted either in the dedicated radiator fittings (thus extending their service life) or in the standard fittings. Warranty: 1 year.

Cat. No. **POL-PAR175WCZERWONY**



Lamp shape

Serves as an effective protection against mechanical damage for light bulbs. Easy installation and maintenance. Thanks to the special hook, it is possible to hang the fitting on a chain. The lampshade made of stainless steel makes the maintenance even easier. The fitting has a 2.5m-long power cable. This model also comes with a switch which allows to decrease the power consumption by 50 %.

Cat. No. **POL-OPR**




Direct radiation germicidal lamps type NBV

Direct radiation germicidal lamps type NBV are designed to prevent primary and secondary infections of patients and medical personnel caused by airborne pathogenic microorganisms (pathogens). Using direct radiation germicidal in the rooms where infected patients or patients with immune deficiencies are staying, significantly reduces the probability of spread of infection by air. Raising the level of microbiological purity of the air and the rooms helps to destroy and reduce impact of existing outbreaks of pathogens.


From the practical point of view, we can assume that a sufficient degree of microbiological purity will be achieved by using*:

- | the lamp 15 W on the surface up to 8 m²
- | the lamp 30 W on the surface up to 15 m²
- | the lamp 2x30 W on the surface up to 22 m²


Cat. No.	Name
270521	Direct radiation germicidal lamps type NBV 30 N
270522	Direct radiation germicidal lamps type NBV 2x30 N
270537	Direct radiation germicidal lamps type NBV 15 N



Direct radiation UV-C germicidal lamps NBV® ceiling-mounted working scheme



Direct radiation UV-C germicidal lamps NBV® on mobile stand working scheme



Direct radiation UV-C germicidal lamps NBV® wall-mounted working scheme

Insectide lamp

- | Insects are killed without any chemicals, purely by means of an electric impulse;
- | Aluminium housing;
- | Voltage: 4000 V;
- | Power: 2 x 15 W;
- | max. range: 150 m²;
- | Dimensions: 51 x 39 x 12.

Cat. No. **1594-655030**



Vinyl gloves

- Powder-free.
- 100 pcs in a package.

Cat. No.	Name
260792 P	Vinyl gloves, powder-free, size: M
260793 P	Vinyl gloves, powder-free, size: L
260795 P	Vinyl gloves, powder-free, size: XL



Latex gloves

- | the gloves contain latex;
- | one-time use only;
- | top-quality;
- | elastic;
- | high tensile strength;
- | slightly powdered.
- | 100 pcs per package
- | convenient packaging.

Cat. No.	Name
260801 P	Latex gloves, small
260802 P	Latex gloves, medium
260803 P	Latex gloves, large
260805 P	Latex gloves, extra large



Beech tar

- | viscous, high-quality beechwood tar
- | well tried substance for hoof and claw care
- | suitable as an attractant for wild boars and red deer
- | content 1 kg or 5 kg

Cat. No. **01-3241_wet** 1 kg

Cat. No. **01-3242** 5 kg



Nitrile gloves

- | the gloves contain nitrile;
- | blue-coloured;
- | one-time use only;
- | top-quality;
- | slightly elastic;
- | high tensile strength;
- | slightly powdered;
- | 100 pcs per package
- | convenient packaging.

Cat. No.	Name
260680_N	Nitrile gloves, size: S
260681_N	Nitrile gloves, size: M
260682_N	Nitrile gloves, size: L
260683_N	Nitrile gloves, size: XL



Paper towel, white roll

- | for use in workshops etc.
- | content in sale unit
- | 2 pcs

Cat. No. **100600**



Electronic weather station

- | displays the room temperature and the air moisture;
- | temperature measurements in Celsius scale or Fahrenheit scale;
- | time display, alarm clock function with the "nap" feature;
- | date/calendar/day of the week display;
- | current weather data display;
- | moon phase display;
- | min. and max. temp./air moisture display and memory;
- | measurement range: 0°C - 50°C (32.0°

Cat. No. **78-1010**



MINI-MAX Thermometer

- | mercury-free;
- | plastic housing;
- | displays the minimum and maximum air room temperature.

Cat. No. **10-5105**



Laboratory thermometer

- | -10/+110 degr. C


Cat. No. **291125**



Veterinary thermometer for large animal

- | Measurement time: 15 to 20 seconds.
- | Measuring range: 32.0 C to 43.9 C.
- | Waterproof.
- | Long measuring tip.
- | Weight: 23 g.

Cat. No. **00196000**



Vet rectal thermometer

- | Designed to be ergonomically correct for animals.
- | Setting for pets, pigs, cattle and other animals.
- | Beeps indicator, LCD display.
- | Automatic shut-off after 15 seconds.
- | Display temperature in both Fahrenheit or Celsius scale.

Cat. No. **25588**



Equipment

USG Kaixin MSU1

USG MSU1 has been designed in such a manner as to make the patient examination as convenient as possible. It is very light (ca. 1 kg), easy to use and carry. It is possible to mount the device on the forearm.

It can be mounted in 4 different ways: on a wrist, on the neck via the neck strap, carried in a hanging shoulder bag providing protection against sun rays, or placed on the desk on a tripod.

| The 5.7" high-resolution colour LCD has high brightness and an excellent displaying contrast;

| OB-, EDD- and GA- measurements for cattle, horses, sheep, dogs, cats, goats, pigs and lamas;

| Available languages: Chinese/English;

| 5-level depth regulation, max. 200 mm;

| Scanning mode: B, 2B, 4B, B/M, M;

| Image saving: 100 frames in a read-only memory;

| Display: 8 different colours;

| High-bandwidth USB port supporting the U-disk;

| Double TV module, output: P A L / N T S C, can be connected with a printer or glasses;

| Optionally a mouse;

| Caption freeze feature;

| Water-proof and dust-proof screen.

Cat. No. **KAIXIN 2**



USG iNSight Scanner 2 Classic

The best swine pregnancy detector on the market:

| It is capable of diagnosing a pregnancy as early as 19 days from the impregnation;

| highly durable, it can undergo even thorough cleaning;

| easy to use;

| portable;

| 5 hours of non-stop operation on the battery;

| Warranty: 2 years;

Aluminium housing. Total weight of the device (with batteries): 1 kg.

Cat. No. **241145**

Different types of products available – please ask the sales representative for details.



USG gel

Perfect for all kinds of ultrasound scanners.
Capacity: 500 ml. Also available in 5 l bottles.

Cat. No.	Name
290323	USG-gel, cap. 500 ml



Disposable shoes with rubber bands

| tough and durable;
| they can be put on rubber shoes;
| height: 50 cm;
| package: 50 pcs

Cat. No. **260649**



Shoe protectors

| colour - blue. Short, made of foil.
| equipped with stabilizing rubbers.
| 100 pcs in a package

Cat. No. **260645**



Medical coverall white

- | made of strength spp material
- | weight: 45 g / m²
- | high comfort and ergonomics
- | has additiona strengthening

Cat. No.	Product Name	Size
260611_M	Medical coverall white class III type 4B/5B/6B	M
260612_M	Medical coverall white class III type 4B/5B/6B	L
260613_M	Medical coverall white class III type 4B/5B/6B	XL
260614_M	Medical coverall white class III type 4B/5B/6B	XXL
260616_M	Medical coverall white class III type 4B/5B/6B	XXL



Disposable suit POLTEX

- | made of knitted fabric;
- | weight: 50 g / m²
- | sleeve- and leg cuffs;
- | equipped with a zipper;
- | colour: dark blue;
- | Package: 1 pcs

Cat. No.	Product name	Size
260611_PP	Protective coverall disposable POLtex, dark blue	M
260612_PP	Protective coverall disposable POLtex, dark blue	L
260613_PP	Protective coverall disposable POLtex, dark blue	XL
260614_PP	Protective coverall disposable POLtex, dark blue	XXL
260616_PP	Protective coverall disposable POLtex, dark blue	XXXL



Weighing panels

- | 2 weighing panels made of aluminium;
- | each panel has a large bright display integrated with a rechargeable battery;
- | the electronic components are suitable for weighing highly active animals;
- | automatic tare calculation;
- | weighing range: up to 1000 kg.

Cat. No.	Panel length
WAW054	54 cm
WAW080	80 cm



Weighing panels

- | 2 high-quality steel weighing panels;
- | each platform has a large bright display integrated with a rechargeable battery;
- | the electronic components are suitable for weighing highly active animals;
- | automatic tare calculation;
- | weighing range: up to 2500 kg.

Cat. No.	Panel length
WAW100	100 cm
WAW145	145 cm
WAW190	190 cm



Mobile weighing platform, aluminium

- WAS and WAF mobile
- | scales for piglets, aluminium structure.
- | 3 years of warranty for the weighing pen.

Cat. No. **WAF**




Weighing platform, aluminium

Simple and uncomplicated maintenance is a huge advantage of this high-quality scale. The use of simple and intelligent solutions reduces the unnecessary stress to a minimum. Intelligent technology meets the highest of the requirements. Weighing becomes a pleasure.

The scale is delivered in a pre-assembled condition. The endusers only need to install the side panels and the doors.

- HIGH QUALITY
- DURABLE ALUMINIUM STRUCTURE
- INTELLIGENT TECHNOLOGY

**Technical data:**

- | 4 water-proof steel beams with a maximum load capacity of 4500 kg;
- | cables running through the steel beams, protected against rodents;
- | side panels made of PVC (40 mm), with profiles at the edges;
- | the low sill (8 cm) makes it easier for the animals to enter the platform;
- | it is not necessary to fix the scale to the ground;
- | the smooth surface of the scale makes it easy to clean;
- | anti-slip floor (plate) made of aluminium;
- | clear, readable display (computer-/printer output on request);
- | access doors can be opened using the remote pedal;
- | integrated battery in case of a power failure;
- | pen-closure function for highly-active animals;
- | automatic tare calculation.

Cat. No.	Dimensions (length x width)
WASTI20200	1,20 x 2,00 m
WASTI20250	1,20 x 2,50 m
WASTI20300	1,20 x 3,00 m
WASTI20350	1,20 x 3,50 m
WASTI20400	1,20 x 4,00 m
WASTI45250	1,45 x 2,50 m
WASTI45300	1,45 x 3,00 m
WASTI45350	1,45 x 3,50 m
WASTI45400	1,45 x 4,00 m
WASTI45450	1,45 x 1,45 m
WASTI45500	1,45 x 5,00 m
WASTI76300	1,76 x 3,00 m
WASTI76350	1,76 x 3,50 m
WASTI76400	1,76 x 4,00 m

Chemicals and mats

Polana V3 – disinfectant

BIOCIDAL PROPERTIES

It has a broad spectrum of use: effective eradication of Gram-positive and Gram-negative bacteria, as well as fungi.

PHYSICOCHEMICAL PROPERTIES

Easily mixed with water in any ratio. The working solutions of the agent do not have any corrosive properties, and are not aggressive with respect to metals, glass, ceramics, plastics, rubber or wood.

COMPOSITION

Formaldehyde, glutaraldehyde, quaternary ammonium compounds.

APPLICATION

The disinfection is carried out by spraying the disinfectant on the surface of the object and on the technological equipment.

Do not apply it on livestock, finished products and goods. Once the disinfection process has been completed, the livestock-related rooms and objects must be thoroughly ventilated before the livestock can return (open the windows and doors, activate the fans).

Working solutions are prepared by adding an appropriate amount of the agent to a specific amount of water.

DISINFECTION OF SMOOTH SURFACES

(e.g. metals, glazed tiles, plastics, walls covered with washable paint, etc.)

Use a 1% solution. Apply 1 l of the solution/3-4 m² of the disinfected area.

Before spraying the surface with the solution, the surface should be washed using surfactants.

DISINFECTION OF ROUGH SURFACES

(e.g. concrete, walls not covered with washable paints, etc.)

Use a 1 % solution. Apply 1 l of the solution/3-4 m² of the disinfected area.

Before spraying the surface with the solution, the surface should be washed using surfactants.

DISINFECTION MATS AND TUBS

Use a 1 % solution. Replace the liquid 1-2 a week, depending on the level of pollution.

AIR DISINFECTION

Spray the formulation in aerosol form at a 1% concentration. Use 1.5 to 2 l of the agent per 1000 m³.

AVAILABLE PACKAGES: 1 kg, 5 kg, 25 kg.



POLANA IS USED TO DISINFECT:

- | livestock-related rooms and equipment;
- | gardening objects, e.g. mushroom farms, greenhouses;
- | veterinary facilities;
- | means of transportation of animals;
- | open objects, e.g. un-/loading ramps, places to keep the animals before slaughter, exhibitions, fairs, etc.;
- | rooms for animals in zoos and room equipment;
- | mats and swimming pools in sanitary sluices.

Cat. No.	Name
Polana V3 1 k	Polana V3, 1 kg
Polana V3 5 k	Polana V3, 5 kg
Polana V3 25 k	Polana V3, 25 kg

POLsan

DRY DISINFECTANT

Polsan is a preparation for dry disinfection of bedding materials for use in the presence of animals. Preserves favourable sanitary conditions.

ACTIVITY SHOWN:

- | bactericidal
- | fungicidal
- | larvicidal
- | lowers ammonia levels and improves microclimate in livestock buildings
- | reduces moisture in the bedding

PROPERTIES

Polsan shows disinfection and disinfestation action. Gets rid or inhibits development of bacteria, viruses and fungi, decreases the pH value and ammonia levels, enhancing resistance to disease and effecting in better utilisation of animal feeds.

The preparation can be applied in the presence of animals and is designed for all animal species.

INDICATIONS

At delivery wards, in piglet rearing facilities.

In dairy cow barns in order to prevent hoof and udder diseases.

In henhouses, turkey and goose husbandries to prevent salmonellosis, colibacillosis, aspergillosis.

In stables and in all livestock production facilities where there is difficult to maintain good sanitary conditions and improve the microclimate.

DIRECTIONS FOR USE

Polsan in the form of powder is to be spread on production area regardless of the type of surface (bedding, concrete, gratings and others), in the amount: 50 g/m² for 3 consecutive days and then every 7 days throughout the whole production cycle.

Cat. No. 1401



Hydrocare

A RELIABLE CLEANING AGENT FOR WATERING SYSTEM!

Cleaning and disinfection! Effective and efficient. Removes organic pollutions. Safe for people, animals and equipment. Can be used in the presence of animals. Only available at POLnet! The packaging contains 10 l of the agent.

Cat. No. **2010**



VIRKON S

The universal preparation VIRKON S has bactericidal and virucidal properties. Very easy to use, it can be applied by washing, rubbing and spraying with special sprinklers. Virkon S disinfecting preparation can be used prophylactically on washed surfaces and at the time of risk of disease in order to prevent an epidemic.

Cat. No.	Name
161069	VIRKON S – disinfection, 10 kg
161070	VIRKON S – disinfection, 5 kg
161071	VIRKON S – disinfection, 200g



Disinfection mat

FAT-type disinfection mats are made out of a very durable polyester, which is resistant to abrasion, and high- low high temperatures. On the inside it contains a 4 cm thick polypropylene foam. This foam insert is placed in an impermeable tray, from which it can be removed for cleaning or to be replaced. The mat is not permanently fixed to the ground, which means it can function as a stand-alone disinfection station.

Cat. No.	Name
63079099	Disinfection mat 60 x 90 x 4, for agricultural applications
63079098	Disinfection mat 180 x 90 x 4, for agricultural applications

Mats in larger sizes, entry mats and disinfection gates are also available

A mat for universal use – perfect as a passage / driveway protection. Fastened with a zipper on the side of the mat. Disinfection mats are the basic equipment of disinfecting and sanitary sluices. They allow you to effectively reduce

bringing pathogens to production and breeding zones on footwear. Mats are placed at the doors and gates

Cat. No.	Name
01-3377	Economy desinfeccion mat 100 x 90 x 4 cm
63079102	Economy desinfeccion mat 60 x 45 x 4 cm
63079103	Economy desinfeccion mat 60 x 90 x 3 cm
63079112	Economy desinfeccion mat 120 x 100 x 4
63079124	Economy desinfeccion mat 120 x 200 x 4 cm
63079126	Economy desinfeccion mat 350 x 100

Mats in another sizes are also available.



K.O.LBA anti-fly agent

Ready-to-use agent designed to fight flies. Apply by painting or spraying surfaces in rooms such as barns, stables, piggeries and other livestock buildings. Immediate action against insects.

Duration of operation: from 6 to 8 weeks.

Cat. No. **12-0124-WET**



LD 100 Contact B insecticide

An insecticide in the form of a liquid suspension. Can be made into a liquid solution, a paint, or sprayed. Used for eradicating flies in animal rooms, farms, homesteads, storerooms, stables, cowsheds.

Capacity: 500 ml.

Cat. No. **LD_100_CONTACT**



AGITA anti-fly agent

- | eradicates flies, German roaches and fleas;
- | can be used either as a paint or to spray the surface;
- | the agent remains active for 6-8 weeks after application;
- | active substance: thiamethoxam 10%;
- | package: 100 g and 400 g.

APPLICATION:

During spraying:

Dissolve 100 g of the agent in 0.8 l of lukewarm water. The solution is enough to cover a room with a surface of 20 m². About 30% of this surface must be sprayed directly.

During painting:

Dissolve 100 g of the agent in 80 ml of lukewarm water. The solution is enough to cover a room with a surface of 40 m². About 30% of this surface must be sprayed directly.

Cat. No.	Package
-40.5016	100 g
-40.5017	400 g

Mouse/Rat feeder

- | made of black durable plastic;
- | designed to have deratization agents placed inside of it;
- | holes and partition walls for easier penetration of rodents;
- | weather-resistant;
- | can be used both indoors and outdoors.

Cat. No.	Dimensions [cm]	Type of rodent
40.5012	11 x 8 x 4	Mice
40.5011	39 x 9 x 8	Rats



Rat Killer Perfekt Granulate

- | Anti-rat/anti-mouse agent in the form of a pink granulate;
- | To be placed near the hideouts and walking paths;
- | Against rats: 30-60g distributed every 5-10 m;
- | Against mice: 15-20 g distributed every 2-5 m.

Cat. No.	Capacity
42.7	140 g
40.10	10 kg



Rat Killer Perfect wax cubes

- | a single-dose formulation in the form of cubes with mummification properties;
- | designed to eliminate rats and mice;
- | can be used indoors or outdoors (if placed in feeders);
- | against rats: 2 cubes distributed every 5-10 m;
- | against mice: 1 cube distributed every 2-5 m;
- | capacity: 200 g.

Cat. No.	Capacity
42.6	200 g
42.15	2.5 kg



Marking

Marking stick POLnet

- | volume 60 ml;
- | used for short-term marking;
- | remains visible on the upper back of cattle and sheep for approx. four weeks, on pigs one to two weeks;
- | deliver In plastic tube with twist-action.

Cat. No.	Name
240355P	Marking stick POLnet 90 g - blue
240360P	Marking stick POLnet 90 g - red
240365P	Marking stick POLnet 90 g - green
240370P	Marking stick POLnet 90 g - violet
240375P	Marking stick POLnet 90 g - black



Marking stick Raidex

- | volume 60 ml;
- | used for short-term marking;
- | remains visible on the upper back of cattle and sheep for approx. four weeks, on pigs one to two weeks;
- | deliver In plastic tube with twist-action.

Cat. No.	Name
240355	Marking stick Raidex blue
240360	Marking stick Raidex red
240365	Marking stick Raidex green
240370	Marking stick Raidex violet
240375	Marking stick Raidex black



Marking spray Raidex

- | cans volume 500 ml;
- | suitable for marking cattle and pigs;
- | visible on pigs for an average of 2 weeks, on cattle somewhat longer.

Cat. No.	Name
744650	Animal marking spray Raidex red
744660	Animal marking spray Raidex blue
744670	Animal marking spray Raidex green



Tattooing plier 20 mm

- | for marking the animal on the back – for the fatteners;
- | height of marking 20 mm.

Cat. No. **71107P**



Tattooing plier 7 mm LUX

Tattooing plier 7 mm LUX.

Cat. No. **71460P**



Number for the plier 7 mm

- | height 7 mm;
- | full range of numbers 0-9 and letters.

Cat. No. **71472110**



Number for the plier 20 mm

- | height 20 mm;
- | full range of numbers 0-9 and letters.

Cat. No. **7185600**

Meat stamping ink

RAIDEX meat stamping ink conforms to Directive 94/36/EC. Hence, in accordance with Directive 91/497/EEC, the following dyes are approved for marking meat products – brown HT, Brilliant blue FCF, Allura red AC.

Cat. No. **61681000**



Tattooing paste

Tattooing pastes are a dextrine-based, aqueous dye concentrates. These pastes are produced using only raw materials that are compatible with the animal organism. Raidex tattooing pastes are extremely colour-fast, economical and are used for the long-term marking of animals.

Cat. No.	Name
71492000	Tattooing paste 60 g - black
71493000	Tattooing paste 60 g - green
71495000	Tattooing paste RAIDEX - black, 600g
71497000	Tattooing paste RAIDEX - green, 600g





**POLNET Sp. z o.o.
i Wspólnicy
Spółka Komandytowa**

ul. Sowia 13 B
62-080 Tarnowo Podgórne, Poland
tel.: + 48 61 657 67 00, fax: + 48 61 657 67 67
office@polnet.pl

Veterinary Department:
+ 48 61 657 67 34; + 48 61 657 67 21
weterynaria@polnet.pl, www. polnet-wet. pl

www.polnet.pl




Like us
on facebook



silo



feed mills



pig



poultry



vet